The Journal of Cell Biology

Volume 122, 1993



Edited in cooperation with
The American Society for Cell Biology
Published semimonthly by
The Rockefeller University Press
Copyediting and Production
Suzanne M. Runyan, Carol E. Toscano, Robert J. O'Donnell, and Linda Thrasybule

Editor-in-Chief

Norton B. Gilula

Associate Editors

Richard G. W. Anderson
Don W. Cleveland
Werner Franke
Elaine Fuchs
Randy Schekman
Kenneth M. Yamada

Editorial Board

Helen Blau
Graham Carpenter
Nam-Hai Chua
John Cooper
Sara Courtneidge
Bruce Cunningham
Caroline Damsky
Scott Emr
Harold P. Erickson
Susan M. Gasser
Larry Gerace
Mary-Jane Gething
Larry Goldstein
Corey S. Goodman
Alan F. Horwitz
R. L. Juliano
Judith Kimble
Richard Klausner
Hynda Kleinman
Susan Lindquist
Joan Massague
Frederick Maxfield
Jacopo Meldolesi
Ira Mellman
Ron Milligan
Timothy J. Mitchison
Andrew Murray
W. James Nelson
Walter Neupert
Bjorn Olsen
Suzanne Pfeffer
Thomas Pollard
Tom A. Rapoport
Louis F. Reichardt
Daniel B. Rifkin
Mark Rose
Richard Rotundo
Richard Scheller
Victor Small
Murray Stewart
Ron Vale
Klaus Von der Mark
Frank S. Walsh
Helen Lu Yin

Copyright © 1993 by The Rockefeller University Press

Contents:

Volume 122, Number 1, July 1993

1 **Architecture of the *Xenopus* nuclear pore complex revealed by three-dimensional cryo-electron microscopy.**
C. W. Akey and M. Radermacher

21 **Phagocytosis induced by thyrotropin in cultured thyroid cells is associated with myosin light chain dephosphorylation and stress fiber disruption.**
W. J. Deery, and J. P. Heath

39 **Cell type–dependent variations in the subcellular distribution of α-mannosidase I and II.**
A. Velasco, L. Hendricks, K. W. Moremen, D. R. P. Tulsiani, O. Touster, and M. G. Farquhar

53 ***Cis*- and *trans*-acting functions required for endocytosis of the yeast pheromone receptors.**
N. G. Davis, J. L. Horecka, and G. F. Sprague, Jr.

67 **Associations between subunit ectodomains promote T-cell antigen receptor assembly and protect against degradation in the ER.**
T. Wileman, L. P. Kane, J. Young, G. R. Carson, and C. Terhorst

79 **SAC1p is an integral membrane protein that influences the cellular requirement for phospholipid transfer protein function and inositol in yeast.**
E. A. Whitters, A. E. Cleves, T. P. McGee, H. B. Skinner, and V. A. Bankaitis

95 **Activated release of membrane-anchored TGF-α in the absence of cytosol.**
M. W. Bosenberg, A. Pandiella, and J. Massagué

103 **Transforming growth factor-β1 induces α-smooth muscle actin expression in granulation tissue myofibroblasts and in quiescent and growing cultured fibroblasts.**
A. Desmoulière, A. Geinoz, F. Gabbiani, and G. Gabbiani

113 **Dynamic changes in microtubule configuration correlate with nuclear migration in the preblastoderm *Drosophila* embryo.**
J. Baker, W. E. Theurkauf, and G. Schubiger

123 **Dynamics of keratin assembly: Exogenous type I keratin rapidly associates with type II keratin in vivo.**
R. K. Miller, S. Khuon, and R. D. Goldman

137 **Activation of adenylyl cyclase in *Chlamydomdonas reinhardtii* by adhesion and by heat.**
T. Saito, L. Small, and U. W. Goodenough

149 **Deletion of an immunodominant *Trypanosoma cruzi* surface glycoprotein disrupts flagellum-cell adhesion.**
R. Cooper, A. Ribeiro de Jesus, and G. A. M. Cross

157 **Specificity of gap junctional communication among human mammary cells and connexin transfectants in culture.**
C. Tomasetto, M. J. Neveu, J. Daley, P. K. Horan, and R. Sager

169 **Increased expression of the 43-kD protein disrupts acetylcholine receptor clustering in myotubes.**
C. M. Yoshihara and Z. W. Hall

181 **Thy-1 antibody-triggered neurite outgrowth requires an influx of calcium into neurons via N- and L-type calcium channels.**
P. Doherty, A. Singh, G. Rimon, S. R. Bolsover, and F. S. Walsh

191 **The mouse one P-domain (*pS2*) and two P-domain (*mSP*) genes exhibit distinct patterns of expression.**
O. Lefebvre, C. Wolf, M. Kédinger, M.-P. Chenard, C. Tomasetto, P. Chambon, and M.-C. Rio

199 **An activated allele of the *c-erbB-2* oncogene impairs kidney and lung function and causes early death of transgenic mice.**
E. Stöcklin, F. Botteri, and B. Groner

209 **Functional role of the cytoplasmic domain of the integrin α5 subunit.**
J. S. Bauer, J. Varner, C. Schreiner, L. Kornberg, R. Nicholas, and R. L. Juliano

223 **Distinct functions of integrin α and β subunit cytoplasmic domains in cell spreading and formation of focal adhesion.**
J. Ylänne, Yl. Chen, T. E. O'Toole, J. C. Loftus, Y. Takada and M. H. Ginsberg

235 **The αvβ1 integrin functions as a fibronectin receptor but does not support fibronectin matrix assembly and cell migration in fibronectin.**
Z. Zhang, A. O. Morla, K. Vuori, J. S. Bauer, R. L. Juliano, and E. Ruoslahti

243 **Albumin inhibits neutrophil spreading and hydrogen peroxide release by blocking the shedding of CD43 (sialophorin, leukosialin).**
C. Nathan, Q. Xie, L. Halbwachs-Mecarelli, and W. W. Jin

257 **Identification of hyaluronic acid binding sites in the extracellular domain of CD44.**
R. J. Peach, D. Hollenbaugh, I. Stamenkovic, and A. Aruffo

265 **Tenascin-X: A novel extracellular matrix protein encoded by the human XB gene overlapping P450c21B.**
J. Bristow, M. K. Tee, S. E. Gitelman, S. H. Mellon, and W. L. Miller

279 ADDITIONS AND CORRECTIONS

281 **Placement Service Notices**

Volume 122, Number 2, July 1993

283 **Fluorescent labeling of nascent RNA reveals transcription by RNA polymerase II in domains scattered throughout the nucleus.**
D. G. Wansink, W. Schul, I. van der Kraan, B. van Steensel, R. van Driel, and L. de Jong

295 **Stepwise reassembly of the nuclear envelope at the end of mitosis.**
N. Chaudhary and J.-C. Courvalin

307 **Guanosine diphosphatase is required for protein and sphingolipid glycosylation in the Golgi lumen of *Saccharomyces cerevisiae*.**
C. Abeijon, K. Yanagisawa, E. C. Mandon, A. Häusler, K. Moremen, C. B. Hirschberg, and P. W. Robbins

325 **Glucose induces lipolytic cleavage of a glycolipidic plasma membrane anchor in yeast.**
G. Müller and W. Bandlow

337 **The cytoskeletal protein talin contains at least two distinct vinculin binding domains.**
A. P. Gilmore, C. Wood, V. Ohanian, P. Jackson, B. Patel, D. J. G. Rees, R. O. Hynes, and D. R. Critchley

349 **Microtubule nucleation and release from the neuronal centrosome.**
W. Yu, V. E. Centonze, F. J. Ahmad, and P. W. Baas

361 **The force-producing mechanism for centrosome separation during spindle formation in vertebrates is intrinsic to each aster.**
J. C. Waters, R. W. Cole, and C. L. Rieder

373 **Components required for cytokinesis are important for bud site selection in yeast.**
E. G. Flescher, K. Madden, and M. Snyder

387 **Calcium buffer injections delay cleavage in *Xenopus laevis* blastomeres.**
P. Snow and R. Nuccitelli

395 **The roles of the rod end and the tail in vimentin IF assembly and IF network formation.**
M. B. McCormick, P. Kouklis, A. Syder, and E. Fuchs

409 **Pemphigus vulgaris antigen, a desmoglein type of cadherin, is localized within keratinocyte desmosomes.**
S. Kárpáti, M. Amagai, R. Prussick, K. Cehrs, and J. R. Stanley

417 **Mutual induction of growth factor gene expression by epidermal-dermal cell interaction.**
H. Smola, G. Thiekötter, and N. E. Fusenig

431 **Regulated expression of exon v6 containing isoforms of CD44 in man: Downregulation during malignant transformation of tumors of squamocellular origin.**
M. Salmi, K. Grön-Virta, P. Sointu, R. Grenman, H. Kalimo, and S. Jalkanen

443 **Neurotrophin-3 induced by tri-iodothyronine in cerebellar granule cells promotes Purkinje cell differentiation.**
D. Lindholm, E. Castrén, P. Tsoulfas, R. Kolbeck, M. da P. Berzaghi, A. Leingärtner, C.-P. Heisenberg, L. Tesarollo, L. F. Parada, and H. Thoenen

451 **Homophilic adhesion of the myelin Po protein requires glycosylation of both molecules in the homophilic pair.**
M. T. Filbin and G. I. Tennekoon

461 **A cell cycle and mutational analysis of anchorage-independent growth: Cell adhesion and TGF-β1 control G1/S transit specifically.**
E. K.-H. Han, T. M. Guadagno, S. L. Dalton, and R. K. Assoian

497 **Peptides derived from two separate domains of the matrix protein thrombospondin-1 have anti-angiogenic activity.**
S. S. Tolsma, O. V. Volpert, D. J. Good, W. A. Frazier, P. J. Polverini, and N. Bouck

473 **Adhesive ligand binding to integrin $\alpha_{IIb}\beta_3$ stimulates tyrosine phosphorylation of novel protein substrates before phosphorylation of pp125^{FAK}.**
M.-M. Huang, L. Lipfert, M. Cunningham, J. S. Brugge, M. H. Ginsberg, and S. J. Shattil

485 **Structures linking microfilament bundles to the membrane at focal contacts.**
S. J. Samuelsson, P. W. Luther, D. W. Pumplin, and R. J. Bloch

---

Volume 122, Number 3, August 1993

513 **An integral membrane protein of the pore membrane domain of the nuclear envelope contains a nucleoporin-like region.**
E. Hallberg, R. W. Wozniak, and G. Blobel

523 **Internucleosomal DNA cleavage and neuronal cell survival death.**
A. Batistatou and L. A. Green

533 **The Golgi stack reassembles during telophase before arrival of proteins transported from the endoplasmic reticulum.**
E. Souter, M. Pypaert, and G. Warren

541 **Tail-specific antibodies that block return of 46,000 M_r mannose 6-phosphate receptor to the *trans*-Golgi network.**
C. Schulze-Garg, C. Böker, S. Kumar Nadimpalli, K. von Figura, and A. Hille-Rehfeld

553 **Mutations in human dynamin block an intermediate stage in coated vesicle formation.**
A. M. van der Bliek, T. E. Redelmeier, H. Damke, E. J. Tisdale, E. M. Meyerowitz, and S. L. Schmid

565 **Effects of mutant rat dynamin on endocytosis.**
J. S. Herskovits, C. C. Burgess, R. A. Obar, and R. B. Vallee

579 **Targeting of the "insulin-responsive" glucose transporter (GLUT4) to the regulated secretory pathway in PC12 cells.**
A. W. Hudson, D. C. Fingar, G. A. Seidner, G. Griffiths, B. Burke, and M. J. Birnbaum

589 **Hormonal regulation of the polarized function and distribution of Na/H exchange and Na/HCO_3 cotransport in cultured mammary epithelial cells.**
M. D. Sjaastad, K. S. Zettl, G. Parry, G. L. Firestone, and T. E. Machen

601 **Distinct roles of the *Drosophila ninaC* kinase and myosin domains revealed by systematic mutagenesis.**
J. A. Porter and C. Montell

613 **Calcium-calmodulin and regulation of brush border myosin-I MgATPase and mechanochemistry.**
J. S. Wolenski, S. M. Hayden, P. Forscher, and M. S. Mooseker

623 **Isolation and characterization of a regulated form of actin depolymerizing factor.**
T. E. Morgan, R. O. Lockerbie, L. S. Minamide, M. D. Browning, and J. R. Bamburg

635 **Synthetic-lethal interactions identify two novel genes, *SLA1* and *SLA2*, that control membrane cytoskeleton assembly in *Saccharomyces cerevisiae*.**
D. A. Holtzman, S. Yang, and D. G. Drubin

645 **Requirement for Raf and MAP kinase function during the meiotic maturation of *Xenopus* oocytes.**
J. R. Fabian, D. K. Morrison, and I. O. Daar

653 **A *Chlamydomonas* outer arm dynein mutant with a truncated β heavy chain.**
H. Sakakibara, S. Takada, S. M. King, G. B. Witman, and R. Kamiya

663 **Decreased level of PDGF-stimulated receptor autophosphorylation by fibroblasts in mechanically relaxed collagen matrices.**
Y.-C. Lin and F. Grinnell

673 **Upregulation of urokinase receptor expression on migrating endothelial cells.**
M. S. Pepper, A.-P. Sappino, R. Stöcklin, R. Montesano, L. Orci, and J.-D. Vassalli

685 **Osteoblasts are target cells for transformation in c-*fos* transgenic mice.**
A. E. Grigoriadis, K. Schellander, Z.-Q. Wang, and E. F. Wagner

703 **Cell proliferation, extracellular matrix mineralization, and ovotransferrin transient expression during in vitro differentiation of chick hypertrophic chondrocytes into osteoblast-like cells.**
C. Gentili, P. Bianco, M. Neri, M. Malpeli, G. Campanile, P. Castagnola, R. Cancedda, and F. Descalzi Cancedda

713 **Characterization of a binding protein for leukemia inhibitory factor localized in extracellular matrix.**
A. Mereau, L. Grey, C. Piquet-Pellorce, and J. K. Heath

721 **A 60-kD protein mediates the binding of transforming growth factor-β to cell surface and extracellular matrix proteoglycans.**
R. Bützow, D. Fukushima, D. R. Twardzik, and E. Ruoslahti

729 **Maximal migration of human smooth muscle cells on fibronectin and type IV collagen occurs at an intermediate attachment strength.**
P. A. DiMilla, J. A. Stone, J. A. Quinn, S. M. Albelda, and D. A. Lauffenburger

---

Volume 122, Number 4, August 1993

743 ***NDC1*: A nuclear periphery component required for yeast spindle pole body duplication.**
M. Winey, M. A. Hoyt, C. Chan, L. Goetsch, D. Botstein, and B. Byers

753 **Nucleolus-like morphology produced during the in vitro reassociation of nucleolar components.**
G. M. Trimbur and C. J. Walsh

767 **Identification and characterization of a sphere organelle protein.**
R. S. Tuma, J. A. Stolk, and M. B. Roth

775 **A cytosolic complex of p62 and rab6 associates with TGN38/41 and is involved in budding of exocytic vesicles from the trans-Golgi network.**
S. M. Jones, J. R. Crosby, J. Salamero, and K. E. Howell

789 **Signal transducing molecules and glycosyl-phosphatidylinositol-linked proteins form a caveolin-rich insoluble complex in MDCK cells.**
M. Sargiacomo, M. Sudol, Z. Tang, and M. P. Lisanti

809 **A role for the dystrophin-glycoprotein complex as a transmembrane linker between laminin and actin.**
J. M. Ervasti and K. P. Campbell

825 **Beta and gamma actin mRNAs are differentially located within myoblasts.**
M. A. Hill and P. Gunning

833 **Moving and stationary actin filaments are involved in spreading of post-mitotic PtK2 cells.**
L. Cramer and T. J. Mitchison

845 **Myosin and paramyosin of *Caenorhabditis elegans* embryos assemble into nascent structures distinct from thick filaments and multi-filament assemblages.**
H. F. Epstein, D. L. Casey, and I. Ortiz

859 **Directional instability of kinetochore motility during chromosome congression and segregation in mitotic newt lung cells: A push-pull mechanism.**
R. V. Skibbens, V. P. Skeen, and E. D. Salmon

877 **Phosphorylation of nuclear and flagellar basal apparatus proteins during flagellar regeneration in *Chlamydomonas reinhardtii*.**
J. D. I. Harper, M. A. Sanders, and J. L. Salisbury

887 **The sea urchin egg receptor for sperm: Isolation and characterization of the intact, biologically active receptor.**
K. Ohlendieck, S. T. Dhume, J. S. Partin, and W. J. Lennarz

897 **Functional heterogeneity is associated with the cell cycle status of murine hematopoietic stem cells.**
W. H. Fleming, E. J. Alpern, N. Uchida, K. Ikuta, G. J. Spangrude, and I. L. Weissman

903 **Polyamines are essential for cell transformation by pp60$^{v\text{-}src}$: Delineation of molecular events relevant for the transformed phenotype.**
E. Hölttä, M. Auvinen, and L. C. Andersson

915 **Neuronal growth factor regulation of two different sodium channel types through distinct signal transduction pathways.**
G. D'Arcangelo, K. Paradiso, D. Shepherd, P. Brehm, S. Halegoua, and G. Mandel

923 **Thrombospondin causes activation of latent transforming growth factor-β secreted by endothelial cells by a novel mechanism.**
S. Schultz-Cherry and J. E. Murphy-Ullrich

933 **Heparin-binding EGF-like growth factor (HB-EGF) stimulation of smooth muscle cell migration; dependence on interactions with cell surface heparan sulfate.**
S. Higashiyama, J. A. Abraham, and M. Klagsbrun

941 **Post-transcriptional regulation of syndecan-1 expression by cAMP in peritoneal macrophages.**
C. Yeaman and A. C. Rapraeger

951 **Homophilic adhesion between Ig superfamily carcinoembryonic antigen molecules involves double reciprocal bonds.**
H. Zhou, A. Fuks, G. Alcaraz, T. J. Bolling, and C. P. Stanners

961 **Homophilic binding of PTPμ, a receptor-type protein tyrosine phosphatase, can mediate cell–cell aggregation.**
S. M. Brady-Kalnay, A. J. Flint, and N. K. Tonks

973 **Placement Service Notices**

Volume 122, Number 5, September 1993

Mini-review

977 **The nuclear pore complex.**
N. Panté and U. Aebi

Regular Articles

985 **Reversible effects of nuclear membrane permeabilization on DNA replication: Evidence for a positive licensing factor.**
D. Coverley, C. S. Downes, P. Romanowski, and R. A. Laskey

993 **Preventing re-replication of DNA in a single cell cycle: Evidencé for a replication licensing factor.**
J. J. Blow

1003 ***MAS6* encodes an essential inner membrane component of the yeast mitochondrial protein import pathway.**
J. L. T. Emtage and R. E. Jensen

1013 **Localization of *Drosophila retinal degeneration B*, a membrane-associated phosphatidylinositol transfer protein.**
T. S. Vihtelic, M. Goebl, S. Millígan, J. E. O'Tousa, and D. R. Hyde

1023 **Early steps in reovirus infection are associated with dramatic changes in supramolecular structure and protein conformation: Analysis of virions and subviral particles by cryoelectron microscopy and image reconstruction.**
K. A. Dryden, G. Wang, M. Yeager, M. L. Nibert, K. M. Coombs, D. B. Furlong, B. N. Fields, and T. S. Baker

1043 **Molecular characterization of mammalian cylicin, a basic protein of the sperm head cytoskeleton.**
H. Hess, H. Heid, and W. W. Franke

1053 **Neurotrophins and their receptors in rat peripheral trigeminal system during maxillary nerve growth.**
U. Arumäe, U. Pirvola, J. Palgi, T.-R. Kiema, K. Palm, M. Moshnyakov, J. Ylikoski, and M. Saarma

1067 **Activated mouse astrocytes and T cells express similar CD44 variants. Role of CD44 in astrocyte/T cell binding.**
H. Haegel, C. Tölg, M. Hofmann, and R. Ceredig

1079 **Growth factors induce nuclear translocation of map kinases ($p42^{mapk}$ and $p44^{mapk}$) but not of their activator map kinase kinase ($p45^{mapkk}$) in fibroblasts.**
P. Lenormand, C. Sardet, G. Pagès, G. L'Allemain, A. Brunet and J. Pouysségur

1089 **Serum-induced translocation of mitogen-activated protein kinase to the cell surface ruffling membrane and the nucleus.**
F. A. Gonzalez, A. Seth, D. L. Raden, D. S. Bowman, F. S. Fay, and R. J. Davis

1103 **The conversion of mouse skin squamous cell carcinomas to spindle cell carcinomas is a recessive event.**
A. B. Stoler, F. Stenback, and A. Balmain

1119 **Murine clusterin: Molecular cloning and mRNA localization of a gene associated with epithelial differentiation processes during embryogenesis.**
L. E. French, A. Chonn, D. Ducrest, B. Baumann, D. Belin, A. Wohlwend, J. Z. Kiss, A.-P. Sappino, J. Tschopp, and J. A. Schifferli

1131 **Integrin-mediated neurite outgrowth in neuroblastoma cells depends on the activation of potassium channels.**
A. Arcangeli, A. Becchetti, A. Mannini, G. Mugnai, P. De Filippi, G. Tarone, M. R. Del Bene, E. Barletta, E. Wanke, and M. Olivotto

1145 **ADDITIONS AND CORRECTIONS**

1147 **ADDITIONS AND CORRECTIONS**

1149 **ADDITIONS AND CORRECTIONS**

Volume 122, Number 6, September 1993

1155 **β-COP is essential for transport of protein from the endoplasmic reticulum to the Golgi in vitro.**
F. Peter, H. Plutner, H. Zhu, T. E. Kreis, and W. E. Balch

1169 **Prohormone processing in the *trans*-Golgi network: Endoproteolytic cleavage of prosomatostatin and formation of nascent secretory vesicles in permeabilized cells.**
H. Xu and D. Shields

1185 **Oligomerization of a membrane protein correlates with its retention in the Golgi complex.**
O. A. Weisz, A. M. Swift, and C. E. Machamer

1197 **Microtubule independent vesiculation of Golgi membranes and the reassembly of vesicles into Golgi stacks.**
B. Veit, J. K. Yucel, and V. Malhotra

1207 **Synaptic vesicle proteins and early endosomes in cultured hippocampal neurons: Differential effects of brefeldin A in axon and dendrites.**
O. Mundigl, M. Matteoli, L. Daniell, A. Thomas-Reetz, A. Metcalf, R. Jahn, and P. De Camilli

1223 **Bidirectional transcytosis determines the steady state distribution of the transferrin receptor at opposite plasma membrane domains of BeWo cells.**
D. P. Cerneus, G. J. Strous, and A. van der Ende

1231 **The *End2* mutation in CHO cells slows the exit of transferrin receptors from the recycling compartment but bulk membrane recycling is unaffected.**
J. F. Presley, S. Mayor, K. W. Dunn, L. S. Johnson, T. E. McGraw, and F. R. Maxfield

1243 **Two steps of insulin receptor internalization depend on different domains of the β-subunit.**
J.-L. Carpentier, J.-P. Paccaud, J. Baecker, A. Gilbert, L. Orci, and C. R. Kahn

1253 **GPI- and transmembrane-anchored influenza hemagglutinin differ in structure and receptor binding activity.**
G. W. Kemble, Y. I. Henis, and J. M. White

1267 **Protein denaturation in intact hepatocytes and isolated cellular organelles during heat shock.**
J. R. Lepock, H. E. Frey, and K. P. Ritchie

1277 **Three-dimensional solution structure of *Acanthamoeba* profilin-I.**
V. K. Vinson, S. J. Archer, E. E. Lattman, T. D. Pollard, and D. A. Torchia

1285 **Suppression of vinculin expression by antisense transfection confers changes in cell morphology, motility, and anchorage-dependent growth of 3T3 cells.**
J. L. Rodriguez Fernández, B. Geiger, D. Salomon, and A. Ben-Ze'ev

1295 **Synchrony of cell spreading and contraction force as phagocytes engulf large pathogens.**
E. Evans, A. Leung, and D. Zhelev

1301 **Chaperonin-mediated folding of vertebrate actin-related protein and γ-tubulin.**
R. Melki, I. E. Vainberg, R. L. Chow, and N. J. Cowan

1311 **Differential expression of a phosphoepitope at the kinetochores of moving chromosomes.**
G. J. Gorbsky and W. A. Ricketts

1323 **Assembly of type IV neuronal intermediate filaments in nonneuronal cells in the absence of preexisting cytoplasmic intermediate filaments.**
G. Y. Ching and R. K. H. Liem

1337 **Neurofilaments are obligate heteropolymers in vivo.**
M. K. Lee, Z. Xu, P. C. Wong, and D. W. Cleveland

1351 **Subtractive immunization yields monoclonal antibodies that specifically inhibit metastasis.**
P. C. Brooks, J.-M. Lin, D. L. French, and J. P. Quigley

1361 **Structure/function analysis of the integrin β1 subunit by epitope mapping.**
D.-T. Shih, J. M. Edelman, A. F. Horwitz, G. B. Grunwald, and C. A. Buck

1373 **AUTHOR INDEX FOR VOLUME 122**

1381 **SUBJECT INDEX FOR VOLUME 122**